



BB865104F CL7\_30WW



FO965101A CL8\_24WW

## Piccola look out


ceiling / surface mounted



1x CONE COB LED max700lm 2700k



A A+ A++



### NON DIMMABLE

|           |     |    |                         |
|-----------|-----|----|-------------------------|
| WH/WH     | 30° | 7W | BB865101A CL7_30 WW     |
| WH/BLK    | 30° | 7W | BB865104A CL7_30 WW     |
| BLK/BLK   | 30° | 7W | BB865102A CL7_30 WW     |
| WH/BLK/WH | 30° | 7W | BB865101-2-1A CL7_30 WW |

### IGBT/TRIAC/1-10V DIMMABLE

|           |     |    |                         |
|-----------|-----|----|-------------------------|
| WH/WH     | 30° | 7W | BB865101F CL7_30 WW     |
| WH/BLK    | 30° | 7W | BB865104F CL7_30 WW     |
| BLK/BLK   | 30° | 7W | BB865102F CL7_30 WW     |
| WH/BLK/WH | 30° | 7W | BB865101-2-1F CL7_30 WW |

### ALTERNATIVE LIGHT COLOUR

|               |       |
|---------------|-------|
| WARM WHITE    | 2700K |
| NEUTRAL WHITE | 3000K |

### REPLACE WW BY


|    |
|----|
| WW |
| NW |



1x COB LED max1500lm 3000k



A A+ A++



### NON DIMMABLE

|           |     |     |                        |
|-----------|-----|-----|------------------------|
| WH/WH     | 30° | 11W | BB965101A CL12_30 NW   |
| WH/BLK    | 30° | 11W | BB965104A CL12_30 NW   |
| BLK/BLK   | 30° | 11W | BB965102A CL12_30 NW   |
| WH/BLK/WH | 30° | 11W | BB96510121A CL12_30 NW |

### IGBT/TRIAC DIMMABLE

|           |     |     |                        |
|-----------|-----|-----|------------------------|
| WH/WH     | 30° | 11W | BB965101C CL12_30 NW   |
| WH/BLK    | 30° | 11W | BB965104C CL12_30 NW   |
| BLK/BLK   | 30° | 11W | BB965102C CL12_30 NW   |
| WH/BLK/WH | 30° | 11W | BB96510121C CL12_30 NW |

### ALTERNATIVE LIGHT COLOUR

|               |             |
|---------------|-------------|
| WARM WHITE    | 2700K       |
| NEUTRAL WHITE | 3000K       |
| MEDIUM WHITE  | 3500K       |
| COLD WHITE    | 4000K       |
| DIM TO WARM   | 2200K-3000K |

### REPLACE NW BY


|    |
|----|
| WW |
| NW |
| MW |
| CW |
| DW |



1x CONE COB LED max800lm 2700k



A A+ A++



### NON DIMMABLE

|            |     |     |                         |
|------------|-----|-----|-------------------------|
| WH/WH      | 24° | 10W | FO965101A CL8_24 WW     |
| WH/BLK     | 24° | 10W | FO965104A CL8_24 WW     |
| WH/BLK/GLD | 24° | 10W | FO965101-2-4A CL8_24 WW |
| WH/BLK/DKC | 24° | 10W | FO965101-2-5A CL8_24 WW |
| WH/GLD     | 24° | 10W | FO965101-4A CL8_24 WW   |
| WH/DKC     | 24° | 10W | FO965101-5A CL8_24 WW   |
| BLK/BLK    | 24° | 10W | FO965102A CL8_24 WW     |
| BLK/GLD    | 24° | 10W | FO965102-4A CL8_24 WW   |
| BLK/DKC    | 24° | 10W | FO965102-5A CL8_24 WW   |
| WH/BLK/WH  | 24° | 10W | FO965101-2-1A CL8_24 WW |

### HONEYCOMB D50

SQUARE OPTIC LENS  
LINEAR SPREAD LENS

BS0298

BS0383  
BS0384

### ALTERNATIVE LIGHT COLOUR

|               |       |
|---------------|-------|
| WARM WHITE    | 2700K |
| NEUTRAL WHITE | 3000K |
| COLD WHITE    | 4000K |


### REPLACE WW BY

|    |
|----|
| WW |
| NW |
| CW |



! 15° or 38° or 60° beam angle on request > ref=...\_15 or ...\_38 or ...\_60





Cook and Book  
Design by Cook and Book  
Photography by Guy Obijn





BB65104

## Piccolo look out

ceiling / surface mounted





1x MR16 ≤ 50W / LED MR16 12V

1x GU10 ≤ 50W / LED GU10

C A A+ A++

C A A+ A++



WH/WH  
WH/BLK  
BLK/BLK  
GR/BLK  
WH/BLK/WH

BB65101 |  
BB65104 |  
BB65102 |  
BB65103 |  
BB65101-2-1 |



! Only with coated MR16 lamp  
! Can be combined with cone accessory

WH/WH  
WH/BLK  
BLK/BLK  
GR/BLK  
WH/BLK/WH


BB65121 |  
BB65124 |  
BB65122 |  
BB65123 |  
BB65121-2-1 |



! Luminaire not compatible with GZ10 lamp  
! Can be combined with cone accessory

1x QR70 ≤ 70W

C



WH/WH  
WH/BLK  
BLK/BLK  
GR/BLK  
WH/BLK/WH

BB65111 |  
BB65114 |  
BB65112 |  
BB65113 |  
BB65111-2-1 |







Project: Büro KKK bold.  
Lighting design: ILLUMINATOR





BB865131F CL7\_30WW



FO965131C CL8\_24WW

## Piccola look out


ceiling / surface mounted



2x CONE COB LED max700lm 2700k



A A+ A++



### NON DIMMABLE

|           |     |       |                         |
|-----------|-----|-------|-------------------------|
| WH/WH     | 30° | 2x 7W | BB865131A CL7_30 WW     |
| WH/BLK    | 30° | 2x 7W | BB865134A CL7_30 WW     |
| BLK/BLK   | 30° | 2x 7W | BB865132A CL7_30 WW     |
| WH/BLK/WH | 30° | 2x 7W | BB865131-2-1A CL7_30 WW |

### IGBT/TRIAC 1-10V DIMMABLE

|           |     |       |                         |
|-----------|-----|-------|-------------------------|
| WH/WH     | 30° | 2x 7W | BB865131F CL7_30 WW     |
| WH/BLK    | 30° | 2x 7W | BB865134F CL7_30 WW     |
| BLK/BLK   | 30° | 2x 7W | BB865132F CL7_30 WW     |
| WH/BLK/WH | 30° | 2x 7W | BB865131-2-1F CL7_30 WW |

### ALTERNATIVE LIGHT COLOUR

|               |       |
|---------------|-------|
| WARM WHITE    | 2700K |
| NEUTRAL WHITE | 3000K |

### REPLACE WW BY


|    |
|----|
| WW |
| NW |



2x COB LED max1500lm 3000k



A A+ A++



### NON DIMMABLE

|           |     |        |                        |
|-----------|-----|--------|------------------------|
| WH/WH     | 30° | 2x 11W | BB965131A CL12_30 NW   |
| WH/BLK    | 30° | 2x 11W | BB965134A CL12_30 NW   |
| BLK/BLK   | 30° | 2x 11W | BB965132A CL12_30 NW   |
| WH/BLK/WH | 30° | 2x 11W | BB96513121A CL12_30 NW |

### IGBT/TRIAC DIMMABLE

|           |     |        |                        |
|-----------|-----|--------|------------------------|
| WH/WH     | 30° | 2x 11W | BB965131C CL12_30 NW   |
| WH/BLK    | 30° | 2x 11W | BB965134C CL12_30 NW   |
| BLK/BLK   | 30° | 2x 11W | BB965132C CL12_30 NW   |
| WH/BLK/WH | 30° | 2x 11W | BB96513121C CL12_30 NW |

### HONEYCOMB D70

BS0297

### ALTERNATIVE LIGHT COLOUR

|               |             |
|---------------|-------------|
| WARM WHITE    | 2700K       |
| NEUTRAL WHITE | 3000K       |
| MEDIUM WHITE  | 3500K       |
| COLD WHITE    | 4000K       |
| DIM TO WARM   | 2200K-3000K |

### REPLACE NW BY


|    |
|----|
| WW |
| NW |
| MW |
| CW |
| DW |



2x CONE COB LED max800lm 2700k



A A+ A++



### NON DIMMABLE

|            |     |        |                       |
|------------|-----|--------|-----------------------|
| WH/WH      | 24° | 2x 10W | FO965131C CL8_24 WW   |
| WH/BLK     | 24° | 2x 10W | FO965134C CL8_24 WW   |
| WH/BLK/GLD | 24° | 2x 10W | FO96513124C CL8_24 WW |
| WH/BLK/DKC | 24° | 2x 10W | FO96513125C CL8_24 WW |
| WH/GLD     | 24° | 2x 10W | FO965131-4C CL8_24 WW |
| WH/DKC     | 24° | 2x 10W | FO965131-5C CL8_24 WW |
| BLK/BLK    | 24° | 2x 10W | FO965132C CL8_24 WW   |
| BLK/GLD    | 24° | 2x 10W | FO965132-4C CL8_24 WW |
| BLK/DKC    | 24° | 2x 10W | FO965132-5C CL8_24 WW |
| WH/BLK/WH  | 24° | 2x 10W | FO96513121C CL8_24 WW |

HONEYCOMB D50  
SQUARE OPTIC LENS  
LINEAR SPREAD LENS

BS0298  
BS0383  
BS0384

### ALTERNATIVE LIGHT COLOUR

|               |       |
|---------------|-------|
| WARM WHITE    | 2700K |
| NEUTRAL WHITE | 3000K |
| COLD WHITE    | 4000K |

### REPLACE WW BY

|    |
|----|
| WW |
| NW |
| CW |



! 15° or 38° or 60° beam angle on request > ref=...\_15 or ...\_38 or ...\_60






BB65134



*Piccola look out*  
ceiling / surface mounted

2x GU10 ≤ 50W / LED GU10

C A A+ A++



WH/WH  
WH/BLK  
BLK/BLK  
GR/BLK  
WH/BLK/WH


BB65151  
BB65154  
BB65152  
BB65153  
BB65151-2-1



! Luminaire not compatible with GZ10 lamp  
! Can be combined with cone accessory

2x MR16 ≤ 50W / LED MR16 12V

C A A+ A++



WH/WH  
WH/BLK  
BLK/BLK  
GR/BLK  
WH/BLK/WH

BB65131  
BB65134  
BB65132  
BB65133  
BB65131-2-1




! Only with coated MR16 lamp  
! Can be combined with cone accessory



2x QR70 ≤ 70W

C



WH/WH  
WH/BLK  
BLK/BLK  
GR/BLK  
WH/BLK/WH

BB65141  
BB65144  
BB65142  
BB65143  
BB65141-2-1







BB865161F CL7\_30WW



FO965161C CL8\_24WW

## Piccola look out


ceiling / surface mounted



### 3x CONE COB LED max700lm 2700k



A A+ A++



#### NON DIMMABLE

|           |       |       |                         |
|-----------|-------|-------|-------------------------|
| WH/WH     | [30°] | 3x 7W | BB865161A CL7_30 WW     |
| WH/BLK    | [30°] | 3x 7W | BB865164A CL7_30 WW     |
| BLK/BLK   | [30°] | 3x 7W | BB865162A CL7_30 WW     |
| WH/BLK/WH | [30°] | 3x 7W | BB865161-2-1A CL7_30 WW |

#### IGBT/TRIAC/1-10V DIMMABLE

|           |       |       |                         |
|-----------|-------|-------|-------------------------|
| WH/WH     | [30°] | 3x 7W | BB865161F CL7_30 WW     |
| WH/BLK    | [30°] | 3x 7W | BB865164F CL7_30 WW     |
| BLK/BLK   | [30°] | 3x 7W | BB865162F CL7_30 WW     |
| WH/BLK/WH | [30°] | 3x 7W | BB865161-2-1F CL7_30 WW |

#### ALTERNATIVE LIGHT COLOUR

|               |       |
|---------------|-------|
| WARM WHITE    | 2700K |
| NEUTRAL WHITE | 3000K |

#### REPLACE WW BY


|    |
|----|
| WW |
| NW |



### 3x COB LED max1500lm 3000k



A A+ A++



#### NON DIMMABLE

|           |       |        |                        |
|-----------|-------|--------|------------------------|
| WH/WH     | [30°] | 3x 11W | BB965161A CL12_30 NW   |
| WH/BLK    | [30°] | 3x 11W | BB965164A CL12_30 NW   |
| BLK/BLK   | [30°] | 3x 11W | BB965162A CL12_30 NW   |
| WH/BLK/WH | [30°] | 3x 11W | BB96516121A CL12_30 NW |

#### IGBT/TRIAC DIMMABLE

|           |       |        |                        |
|-----------|-------|--------|------------------------|
| WH/WH     | [30°] | 3x 11W | BB965161C CL12_30 NW   |
| WH/BLK    | [30°] | 3x 11W | BB965164C CL12_30 NW   |
| BLK/BLK   | [30°] | 3x 11W | BB965162C CL12_30 NW   |
| WH/BLK/WH | [30°] | 3x 11W | BB96516121C CL12_30 NW |

#### HONEYCOMB D70

BS0297

#### ALTERNATIVE LIGHT COLOUR

|               |             |
|---------------|-------------|
| WARM WHITE    | 2700K       |
| NEUTRAL WHITE | 3000K       |
| MEDIUM WHITE  | 3500K       |
| COLD WHITE    | 4000K       |
| DIM TO WARM   | 2200K-3000K |

#### REPLACE NW BY


|    |
|----|
| WW |
| NW |
| MW |
| CW |
| DW |



### 3x CONE COB LED max800lm 2700k



A A+ A++



#### NON DIMMABLE

|            |       |        |                       |
|------------|-------|--------|-----------------------|
| WH/WH      | [24°] | 3x 10W | FO965161C CL8_24 WW   |
| WH/BLK     | [24°] | 3x 10W | FO965164C CL8_24 WW   |
| WH/BLK/GLD | [24°] | 3x 10W | FO96516124C CL8_24 WW |
| WH/BLK/DKC | [24°] | 3x 10W | FO96516125C CL8_24 WW |
| WH/GLD     | [24°] | 3x 10W | FO965161-4C CL8_24 WW |
| WH/DKC     | [24°] | 3x 10W | FO965161-5C CL8_24 WW |
| BLK/BLK    | [24°] | 3x 10W | FO965162C CL8_24 WW   |
| BLK/GLD    | [24°] | 3x 10W | FO965162-4C CL8_24 WW |
| BLK/DKC    | [24°] | 3x 10W | FO965162-5C CL8_24 WW |
| WH/BLK/WH  | [24°] | 3x 10W | FO96516121C CL8_24 WW |

#### HONEYCOMB D50

SQUARE OPTIC LENS  
LINEAR SPREAD LENS

BS0298  
BS0383  
BS0384

#### ALTERNATIVE LIGHT COLOUR

|               |       |
|---------------|-------|
| WARM WHITE    | 2700K |
| NEUTRAL WHITE | 3000K |
| COLD WHITE    | 4000K |

#### REPLACE WW BY

|    |
|----|
| WW |
| NW |
| CW |



! 15° or 38° or 60° beam angle on request > ref=... 15 or ... 38 or ... 60






BB65164



*Piccola look out*  
ceiling / surface mounted

3x GU10 ≤ 50W / LED GU10

C A A+ A++



WH/WH  
WH/BLK  
BLK/BLK  
GR/BLK  
WH/BLK/WH


BB65181  
BB65184  
BB65182  
BB65183  
BB65181-2-1



! Luminaire not compatible with GZ10 lamp  
! Can be combined with cone accessory

3x MR16 ≤ 50W / LED MR16 12V

C A A+ A++



WH/WH  
WH/BLK  
BLK/BLK  
GR/BLK  
WH/BLK/WH


BB65161  
BB65164  
BB65162  
BB65163  
BB65161-2-1



! Only with coated MR16 lamp  
! Can be combined with cone accessory

3x QR70 ≤ 70W

C



WH/WH  
WH/BLK  
BLK/BLK  
GR/BLK  
WH/BLK/WH

BB65171  
BB65174  
BB65172  
BB65173  
BB65171-2-1







FO96520125C CL8\_24WW



FO96520124C CL8\_24WW

## Piccolo look out


ceiling / surface mounted



4x CONE COB LED max700lm 2700k



A A<sup>+</sup> A<sup>++</sup>



### NON DIMMABLE

|           |           |                         |
|-----------|-----------|-------------------------|
| WH/WH     | 30° 4x 7W | BB865201A CL7_30 WW     |
| WH/BLK    | 30° 4x 7W | BB865204A CL7_30 WW     |
| WH/BLK/WH | 30° 4x 7W | BB865201-2-1A CL7_30 WW |

### IGBT/TRIAC/1-10V DIMMABLE

|           |           |                         |
|-----------|-----------|-------------------------|
| WH/WH     | 30° 4x 7W | BB865201F CL7_30 WW     |
| WH/BLK    | 30° 4x 7W | BB865204F CL7_30 WW     |
| WH/BLK/WH | 30° 4x 7W | BB865201-2-1F CL7_30 WW |

### ALTERNATIVE LIGHT COLOUR

|               |       |
|---------------|-------|
| WARM WHITE    | 2700K |
| NEUTRAL WHITE | 3000K |

### REPLACE WW BY


WW  
NW



4x COB LED max1500lm 3000k



A A<sup>+</sup> A<sup>++</sup>



### NON DIMMABLE

|           |            |                        |
|-----------|------------|------------------------|
| WH/WH     | 30° 4x 10W | BB965201A CL12_30 NW   |
| WH/BLK    | 30° 4x 10W | BB965204A CL12_30 NW   |
| WH/BLK/WH | 30° 4x 10W | BB96520121A CL12_30 NW |

### IGBT/TRIAC DIMMABLE

|           |            |                        |
|-----------|------------|------------------------|
| WH/WH     | 30° 4x 10W | BB965201C CL12_30 NW   |
| WH/BLK    | 30° 4x 10W | BB965204C CL12_30 NW   |
| WH/BLK/WH | 30° 4x 10W | BB96520121C CL12_30 NW |

### HONEYCOMB D70

BS0297

### ALTERNATIVE LIGHT COLOUR

|               |             |
|---------------|-------------|
| WARM WHITE    | 2700K       |
| NEUTRAL WHITE | 3000K       |
| MEDIUM WHITE  | 3500K       |
| COLD WHITE    | 4000K       |
| DIM TO WARM   | 2200K-3000K |

### REPLACE NW BY


WW  
NW  
MW  
CW  
DW



4x CONE COB LED max800lm 2700k



A A<sup>+</sup> A<sup>++</sup>



### NON DIMMABLE

|            |            |                       |
|------------|------------|-----------------------|
| WH/WH      | 24° 4x 10W | FO965201C CL8_24 WW   |
| WH/BLK     | 24° 4x 10W | FO965204C CL8_24 WW   |
| WH/BLK/GLD | 24° 4x 10W | FO96520124C CL8_24 WW |
| WH/BLK/DKC | 24° 4x 10W | FO96520125C CL8_24 WW |
| WH/GLD     | 24° 4x 10W | FO965201-4C CL8_24 WW |
| WH/DKC     | 24° 4x 10W | FO965201-5C CL8_24 WW |
| BLK/BLK    | 24° 4x 10W | FO965202C CL8_24 WW   |
| BLK/GLD    | 24° 4x 10W | FO965202-4C CL8_24 WW |
| BLK/DKC    | 24° 4x 10W | FO965202-5C CL8_24 WW |
| WH/BLK/WH  | 24° 4x 10W | FO96520121C CL8_24 WW |

HONEYCOMB D50  
SQUARE OPTIC LENS  
LINEAR SPREAD LENS

BS0298  
BS0383  
BS0384

### ALTERNATIVE LIGHT COLOUR

|               |       |
|---------------|-------|
| WARM WHITE    | 2700K |
| NEUTRAL WHITE | 3000K |
| COLD WHITE    | 4000K |

### REPLACE WW BY

WW  
NW  
CW



! 15° or 38° or 60° beam angle on request > ref=... 15 or ... 38 or ... 60





Optiek Herpol  
Architecture Office Juma Architects  
Photography by Annick Vernimmen




BB65204

## Piccola look out

ceiling / surface mounted

4x MR16 ≤ 50W / LED MR16 12V

C A A+ A++



WH/WH  
WH/BLK  
GR/BLK  
WH/BLK/WH


BB65201  
BB65204  
BB65203  
BB65201-2-1

! Only with coated MR16 lamp  
! Can be combined with cone accessory



4x QR70 ≤ 70W

C



WH/WH  
WH/BLK  
GR/BLK  
WH/BLK/WH

BB65211  
BB65214  
BB65213  
BB65211-2-1






Healthcare Medical center  
Interior Architect Severien Van Lommel

## *Piccolo look out*

ceiling / surface mounted

4x GU10 ≤ 50W / LED GU10

C A A+ A++



WH/WH  
WH/BLK  
GR/BLK  
WH/BLK/WH

BB65221 |  
BB65224 |  
BB65223 |  
BB65221-2-1 |

! Luminaire not compatible with GZ10 lamp  
! Can be combined with cone accessory







Private residence  
JUMA architects  
Photography: Annick Verhinnen





BB94511-2-ID CL20\_24NW



BB84514

## Look out single


ceiling / surface mounted



1x CONE COB LED max2400lm 3000k



A A<sup>+</sup> A<sup>++</sup>



### NON DIMMABLE

|           |     |     |                         |
|-----------|-----|-----|-------------------------|
| WH/WH     | 24° | 18W | BB94511A CL20_24 NW     |
| WH/BLK    | 24° | 18W | BB94514A CL20_24 NW     |
| BLK/BLK   | 24° | 18W | BB94512A CL20_24 NW     |
| GR/BLK    | 24° | 18W | BB94513A CL20_24 NW     |
| WH/BLK/WH | 24° | 18W | BB94511-2-1A CL20_24 NW |

### 1-10V/PUSH/DALI DIMMABLE

|           |     |     |                         |
|-----------|-----|-----|-------------------------|
| WH/WH     | 24° | 18W | BB94511D CL20_24 NW     |
| WH/BLK    | 24° | 18W | BB94514D CL20_24 NW     |
| BLK/BLK   | 24° | 18W | BB94512D CL20_24 NW     |
| GR/BLK    | 24° | 18W | BB94513D CL20_24 NW     |
| WH/BLK/WH | 24° | 18W | BB94511-2-1D CL20_24 NW |

SUSPENSION KIT BB8010  
HONEYCOMB D76 BS0296

### ALTERNATIVE LIGHT COLOUR REPLACE NW BY

|               |             |    |
|---------------|-------------|----|
| WARM WHITE    | 2700K       | WW |
| NEUTRAL WHITE | 3000K       | NW |
| MEDIUM WHITE  | 3500K       | MW |
| COLD WHITE    | 4000K       | CW |
| DIM TO WARM   | 2200K-3000K | DW |

! 40° beam angle on request > ref= ...\_40

! CRI 80+ available on request > change ref BB9... to BB8...


! COB specials on request (CrispWhite, food, ...)



1x QR111 OPTILED max800lm 2800k



A A<sup>+</sup> A<sup>++</sup>



### IGBT/TRIAC DIMMABLE

|           |     |     |                        |
|-----------|-----|-----|------------------------|
| WH/WH     | 20° | 12W | BB84511C OL8_20 WW     |
| WH/BLK    | 20° | 12W | BB84514C OL8_20 WW     |
| BLK/BLK   | 20° | 12W | BB84512C OL8_20 WW     |
| GR/BLK    | 20° | 12W | BB84513C OL8_20 WW     |
| WH/BLK/WH | 20° | 12W | BB84511-2-1C OL8_20 WW |

### 1-10V/PUSH/DALI DIMMABLE

|           |     |     |                        |
|-----------|-----|-----|------------------------|
| WH/WH     | 20° | 12W | BB84511B OL8_20 WW     |
| WH/BLK    | 20° | 12W | BB84514B OL8_20 WW     |
| BLK/BLK   | 20° | 12W | BB84512B OL8_20 WW     |
| GR/BLK    | 20° | 12W | BB84513B OL8_20 WW     |
| WH/BLK/WH | 20° | 12W | BB84511-2-1B OL8_20 WW |


SUSPENSION KIT BB8010

! 45° beam angle on request > ref=...\_45



1x QR111 ≤ 100W

C A A<sup>+</sup> A<sup>++</sup>



|           |             |
|-----------|-------------|
| WH/WH     | BB84511     |
| WH/BLK    | BB84514     |
| BLK/BLK   | BB84512     |
| GR/BLK    | BB84513     |
| WH/BLK/WH | BB84511-2-1 |

SUSPENSION KIT BB8010

! Can be combined with cone accessory

