



Punto

Recessed Round 76 | 100 | 167

Fixed



Adjustable



Wallwasher



Body

Round shape mounting trim in cast aluminium with springs for trim installation on a ceiling thickness of max. 25mm or brackets for trimless installation on a ceiling thickness 12.5-15mm.

Luminaire body in cast aluminium. Easy relamping tool-free via removable lamp front ring by twist and lock action.

Adjustable version tiltable vertically 0-25° tilt and rotatable horizontally 350°.

LED sources

Citizen CLU Series. Xicato Artist, Beauty and Designer Series. SORAA SLE Optical Light Engine.
CRI: 90, 95, 98 | CCT: 2700K, 3000K, 4000K.
Other CRI and CCT options, Tuneable White and DimToWarm versions available on request.

Optic

Lens.
Narrow, medium and wide beam angle available.

Accessories

Coloured filters, linear spread, honeycomb louvre, anti-glare cone, anti-glare hood.
Snap System™ accessories available for SORAA SLE series with narrow beam angle.

Finish

Powder coat in black or white colour.

Driver

Supplied with No-dimable remote driver.
Dimming Options: 0-10V Dim, DALI, Phase, CASAMBI.

Applications

A visual simplicity seamless shape designed for excellent visual comfort versions include full directional light adjustability for maximum versatility keeping homogeneous appearance.
Application areas: retail, hotels, restaurants, hospitals, gyms.

Related Products

**Twist & Shout
Recessed**
P.48



**Colosseo
Recessed**
P.76



**Ovo
Recessed**
P.92






Punto Round





Punto 76 / 100 / 167

Fixed Round Trim



Palla 76 / 100 / 167

Fixed Round Trimless



Code ordering example: **R N 2 3 M C 3 1 - 9 0 3 0 2 0 D 0 1 0**

	Product Code	Light Source Code*	>CRI	CCT	LED Power	Nominal Lumen	Beam Angle (00°)	Driver Options	Finish
Punto 76	RN23	MC31	90	30 3000K	6W	616 lm	20 / 30 / 40	D0 No Dim	10 Black
Fixed Round	RN24			40 4000K		643 lm		DA Dali Dim	11 White
Punto 100	RA05	MC22			10W	1276 lm	18 / 24 / 36	DP Phase Dim	
Fixed Round	RA06					1296 lm		DC CASAMBI	
Punto 167	RH13	MC33			33W	3220 lm	12 / 22 / 32	D1 0-10V Dim	
Fixed Round	RH14					3300 lm			

Notes:

* For complete code ordering information, please see page 377.

** For other CCT options, please contact us.

For related accessories, please see page 105.






Punto Round





Punto 100

Adjustable Round Trim 



Punto 100

Adjustable Round Trimless 



Code ordering example: **RF55 MC22-903018D010**

	Product Code	Light Source Code*	>CRI	CCT**	LED Power	Nominal Lumen	Beam Angle (BA°)	Driver Options	Finish
Punto 100	RF55 	MC22	90	30 3000K	10W	1276 lm	18 / 24 / 36	D0 No Dim	10  Black
Adjustable Round	RF56 			40 4000K		1296 lm		DA Dali Dim	11  White
								DP Phase Dim	
								DC CASAMBI	
								D1 0-10V Dim	

Notes:

* For complete code ordering information, please see page 377.

** For other CCT options, please contact us.

For related accessories, please see page 105.






Punto Round





Punto 100 / 167

Wallwasher Round Trim



Punto 100 / 167

Wallwasher Round Trimless



Code ordering example: **RA07 MC22-9030 WW D010**

	Product Code	Light Source Code*	>CRI	CCT**	LED Power	Nominal Lumen	Beam Angle (BA°)	Driver Options	Finish
Palla 100 Wallwasher Round	RA07	MC22	90	30 3000K	10W	1276 lm	WW	D0 No Dim	10 Black
	RA08			40 4000K		1296 lm		DA Dali Dim	11 White
Palla 167 Wallwasher Round	RH15	MC33			33W	3220 lm		DP Phase Dim	
	RH16					3300 lm		DC CASAMBI	
								D1 0-10V Dim	

Notes:

* For complete code ordering information, please see page 377.

** For other CCT options, please contact us.

For related accessories, please see page 105.





Punto

Recessed Square 76 | 100 | 167

Fixed



Adjustable



Wallwasher



Body

Square shape mounting trim in cast aluminium with springs for trim installation on a ceiling thickness of max. 25mm or brackets for trimless installation on a ceiling thickness 12.5-15mm.

Luminaire body in cast aluminium. Easy relamping tool-free via removable lamp front ring by twist and lock action.

Adjustable version tiltable vertically 0-25° tilt and rotatable horizontally 350°.

LED sources

Citizen CLU Series. Xicato Artist, Beauty and Designer Series. SORAA SLE Optical Light Engine.
CRI: 90, 95, 98 | CCT: 2700K, 3000K, 4000K.
Other CRI and CCT options, Tuneable White and DimToWarm versions available on request.

Optic

Lens.
Narrow, medium and wide beam angle available.

Related Products

Twist & Shout Recessed

P.48



Colosseo Recessed

P.76



Ovo Recessed

P.92



Accessories

Coloured filters, linear spread, honeycomb louvre, anti-glare cone, anti-glare hood.

Snap System™ accessories available for SORAA SLE series with narrow beam angle.

Finish

Powder coat in black or white colour.

Driver

Supplied with No-dimable remote driver.
Dimming Options: 0-10V Dim, DALI, Phase, CASAMBI.

Applications

A visual simplicity seamless shape designed for excellent visual comfort versions include full directional light adjustability for maximum versatility keeping homogeneous appearance.

Application areas: retail, hotels, restaurants, hospitals, gyms.






Punto Square





Punto 76 / 100 / 167

Fixed Square Trim ☒



Punto 70 / 100 / 130

Fixed Square Trimless ☐



Code ordering example: **R N 2 5 M C 3 1 - 9 0 3 0 2 0 D 0 1 0**

	Product Code	Light Source Code*	>CRI	CCT**	LED Power	Nominal Lumen	Beam Angle (BA°)	Driver Options	Finish
Punto 76 Fixed Square	RN25 ☒	MC31	90	30 3000K	6W	616 lm	20 / 30 / 40	D0 No Dim	10 ☒ Black
	RN26 ☐			40 4000K		643 lm		DA Dali Dim	11 ☐ White
Punto 100 Fixed Square	RA09 ☒	MC22			10W	1276 lm	18 / 24 / 36	DP Phase Dim	
	RA10 ☐					1296 lm		DC CASAMBI	
Punto 167 Fixed Square	RH17 ☒	MC33			33W	3220 lm	12 / 22 / 32	D1 0-10V Dim	
	RH18 ☐					3300 lm			

Notes:

* For complete code ordering information, please see page 377.

** For other CCT options, please contact us.

For related accessories, please see page 105.







Punto Square






Punto 100

Adjustable Square Trim ☒



Punto 100

Adjustable Square Trimless ☐



Code ordering example: **R F 5 7 M C 2 2 - 9 0 3 0 1 8 D 0 1 0**

	Product Code	Light Source Code*	>CRI	CCT**	LED Power	Nominal Lumen	Beam Angle (BA°)	Driver Options	Finish
Punto 100	RF57 ☒	MC22	90	30 3000K	10W	1276 lm	18 / 24 / 36	D0 No Dim	10 ☒ Black
Adjustable Square	RF58 ☐			40 4000K		1296 lm		DA Dali Dim	11 ☐ White
								DP Phase Dim	
								DC CASAMBI	
								D1 0-10V Dim	

Notes:

* For complete code ordering information, please see page 377.

** For other CCT options, please contact us.

For related accessories, please see page 105.






Punto Square





Punto 100 / 167

Wallwasher Square Trim ☒



Punto 100 / 167

Wallwasher Square Trimless ☐



Code ordering example: **RA 1 1 MC 2 2 - 9 0 3 0 WW D 0 1 0**

	Product Code	Light Source Code*	>CRI	CCT**	LED Power	Nominal Lumen	Beam Angle (BA°)	Driver Options	Finish
Punto 100 Wallwasher Square	RA11 ☒	MC22	90	30 3000K	10W	1276 lm	WW	D0 No Dim	10 ☒ Black
	RA12 ☐			40 4000K		1296 lm		DA Dali Dim	11 ☐ White
Punto 167 Wallwasher Square	RH19 ☒	MC33			33W	3220 lm		DP Phase Dim	
	RH20 ☐					3300 lm		DC CASAMBI	
								D1 0-10V Dim	

Notes:

* For complete code ordering information, please see page 377.

** For other CCT options, please contact us.

For related accessories, please see page 105.





Punto Recessed Family configuration options

Code ordering example: **R N 2 3 M C 3 1 - 9 0 3 0 2 0 D 0 1 0**

Punto 76 Round & Square

Fixed

Product code	Light source code	>CRI	CCT	LED Power	Nominal lumen	Beam angle (BA°)	Driver Options	Finish
RN23 ☒ Fixed	MC31 Citizen COB	90	30 3000K	6W	616 lm	20 / 30 / 40	D0 No Dim	10 ☒ Black
RN24 ☐ Fixed			40 4000K		643 lm		DA Dali Dim	11 ☐ White
RN25 ☒ Fixed	MS61 Sora SLE-11	95		6.7W	430 lm	25 / 36	DP Phase Dim	
RN26 ☐ Fixed					450 lm		DC CASAMBI	
							D1 0-10V Dim	
	GU04 Retrofit GU4	00	00	/	/	/(00)	00 No Driver	

Punto 100 Round & Square

Fixed | Adjustable | Wallwasher

Product code	Light source code	>CRI	CCT	LED Power	Nominal lumen	Beam angle (BA°)	Driver Options	Finish
RA05 ☒ Fixed	MC22 Citizen COB	90	30 3000K	10W	1276 lm	18 / 24 / 36	D0 No Dim	10 ☒ Black
RA06 ☐ Fixed			40 4000K		1296 lm		DA Dali Dim	11 ☐ White
RA09 ☒ Fixed	MS11 Sora SLE-16	95		8.3W	460 lm	10	DP Phase Dim	
RA10 ☐ Fixed					480 lm		DC CASAMBI	
RF55 ☒ Adjustable				12.2W	720 lm	15 / 25 / 36	D1 0-10V Dim	
RF56 ☐ Adjustable					755lm			
RF57 ☒ Adjustable	MX22 Xicato Artist XTM	98	27 2700K	10.6W	700 lm	16 / 28 / 38		
RF58 ☐ Adjustable	MX61 XIM			11.5W				
RA07 ☒ Wallwasher	MX31 Beauty XTM	95		9.5W	931 lm	28 / 35 / 45		
RA08 ☐ Wallwasher	MX71 XIM			11.5W				
RA11 ☒ Wallwasher	MX41 Designer XTM	90		11.4W	1300 lm			
RA12 ☐ Wallwasher	MX81 XIM			13.2W				
	GU53 Retrofit MR16-GU5.3	00	00	/	/	/(00)	00 No Driver	
	GU10 GZ10-GU10							

Punto 167 Round & Square

Fixed | Wallwasher

Product code	Light source code	>CRI	CCT	LED Power	Nominal lumen	Beam angle (BA°)	Driver Options	Finish
RH13 ☒ Fixed	MC33 Citizen COB	90	30 3000K	33W	3220 lm	12 / 22 / 32	D0 No Dim	10 ☒ Black
RH14 ☐ Fixed			40 4000K		3300 lm		DA Dali Dim	11 ☐ White
RH17 ☒ Fixed	BS22 Sora SLE-30	95		20W	1200 lm	09 / 25 / 35	DP Phase Dim	
RH18 ☐ Fixed					1300 lm		DC CASAMBI	
RH15 ☒ Wallwasher	MX25 Xicato Artist XTM	98	27 2700K	20W	2000 lm	25 / 36 / 45	D1 0-10V Dim	
RH16 ☐ Wallwasher	MX32 Beauty XTM	95						
RH19 ☒ Wallwasher	MX43 Designer XTM	90		25.7W	3000 lm			
RH20 ☐ Wallwasher	AR111 Retrofit AR111	00	00	/	/	/(00)	00 No Driver	


Notes:

For other CCT options, please contact us.





Optical Accessories



Product / Optical Accessories	Coloured Filters Colours 25, 42, 55, 85	Linear Spread Colour 41	Honeycomb Louvre Colour 10	Anti-Glare Cone Colour 10	Snoot Colours 10, 17
Punto 76 Round & Square	/	/	/	/	/
Punto 100 Round & Square	2614*	2615	2504	2661	2675
Punto 167 Round & Square	2599*	2598	2334	/	2327

* With holder

For Soraa specific accessories, please contact us and we will provide the detailed information.

