



Private residence
Photography: Mathias Lambrecht





BB89102D CL7_30WW



FO99101B CL8_24WW




Small steamer ceiling ceiling / surface mounted

1x CONE COB LED max700lm 2700k



A A+ A++



NON DIMMABLE

WH	30°	7W		BB89101A CL7_30 WW
BLK	30°	7W		BB89102A CL7_30 WW

IGBT/TRIAC/1-10V DIMMABLE

WH	30°	7W		BB89101F CL7_30 WW
BLK	30°	7W		BB89102F CL7_30 WW

1-10V/PUSH DIMMABLE

WH	30°	7W		BB89101B CL7_30 WW
BLK	30°	7W		BB89102B CL7_30 WW

DALI DIMMABLE

WH	30°	7W		BB89101D CL7_30 WW
BLK	30°	7W		BB89102D CL7_30 WW

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K

REPLACE WW BY


WW
NW



1x CONE COB LED max800lm 2700k



A A+ A++



NON DIMMABLE

WH	24°	10W		FO99101A CL8_24 WW
BLK	24°	10W		FO99102A CL8_24 WW

1-10V/PUSH DIMMABLE

WH	24°	10W		FO99101B CL8_24 WW
BLK	24°	10W		FO99102B CL8_24 WW

HONEYCOMB D50

SQUARE OPTIC LENS	BS0298
LINEAR SPREAD LENS	BS0383
	BS0384

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE WW BY

WW
NW
CW
DW



! 15° or 38° or 60° beam angle on request > ref=..._15 or_38 or..._60






Small steamer ceiling

ceiling / surface mounted

1x COB LED max1500lm 3000k



NON DIMMABLE

WH	30° 11W	BB99131A CL12_30 NW
BLK	30° 11W	BB99132A CL12_30 NW

IGBT/TRIAC DIMMABLE

WH	30° 11W	BB99131C CL12_30 NW
BLK	30° 11W	BB99132C CL12_30 NW

DALI DIMMABLE

WH	30° 11W	BB99131D CL12_30 NW
BLK	30° 11W	BB99132D CL12_30 NW

HONEYCOMB D70

BS0297 |


ALTERNATIVE LIGHT COLOUR


WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW
MEDIUM WHITE	3500K	MW
COLD WHITE	4000K	CW
DIM TO WARM	2200K-3000K	DW

REPLACE NW BY



! 15° beam angle available on request > ref= ..._15





YUP hotel by Differenthotels
Concept and Interior by Creneau International
Photography by Hugo Thomassen






BB9102

Small steamer ceiling

ceiling / surface mounted



1x MR16 ≤ 50W




WH
BLK

BB9101 |
BB9102 |

! Can be combined with cone accessory



1x GU10 ≤ 50W / LED GU10 (max height 55mm)




WH
BLK

BB9121 |
BB9122 |

! Can be combined with cone accessory



1x QR70 ≤ 50W



WH
BLK

BB9111 |
BB9112 |

! Can be combined with cone accessory





BB99531D CL20_24NW




Steamer ceiling ceiling / surface mounted

1x COB LED max3500lm 3000k



A A+ A++



NON DIMMABLE

WH	[24°]	30W	BB99531A CL30_24 NW
BLK	[24°]	30W	BB99532A CL30_24 NW

DALI DIMMABLE

WH	[24°]	30W	BB99531D CL30_24 NW
BLK	[24°]	30W	BB99532D CL30_24 NW

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW
MEDIUM WHITE	3500K	MW
COLD WHITE	4000K	CW
DIM TO WARM	2200K-3000K	DW

REPLACE NW BY




! 17° and 36° beam angles on request > ref= ..._17 or ..._36
! CRI 80+ available on request > change ref BB9... to BB8...
! COB specials on request (CrispWhite, food, ...)

1x QR111 OPTILED max800lm 2800k



A A+ A++



IGBT/TRIAC DIMMABLE

WH	[20°]	12W	BB9501C OL8_20 WW
BLK	[20°]	12W	BB9502C OL8_20 WW

1-10V/PUSH/DALI DIMMABLE

WH	[20°]	12W	BB9501B OL8_20 WW
BLK	[20°]	12W	BB9502B OL8_20 WW


! 45° beam angle on request > ref=..._45



1x CONE COB LED max2400lm 3000k



A A+ A++



NON DIMMABLE

WH	[24°]	18W	BB99531A CL20_24 NW
BLK	[24°]	18W	BB99532A CL20_24 NW

DALI DIMMABLE

WH	[24°]	18W	BB99531D CL20_24 NW
BLK	[24°]	18W	BB99532D CL20_24 NW

HONEYCOMB D76

BS0296

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW
MEDIUM WHITE	3500K	MW
COLD WHITE	4000K	CW
DIM TO WARM	2200K-3000K	DW

REPLACE NW BY



! 40° beam angle on request > ref= ..._40
! CRI 80+ available on request > change ref BB9... to BB8...
! COB specials on request (CrispWhite, food, ...)





A Suivre
Concept Design Office ABC-Plan ID
Photography by Evgeniy Abrosimov





BB9502


Steamer ceiling

ceiling / surface mounted

1x QR111 ≤ 100W



C A A+ A++



WH
BLK

BB9501 |
BB9502 |

! Can be combined with cone accessory

