



FO99302B CL8_24WW



FO99301B CL8_24WW




Small steamer suspension

ceiling / suspension

1x CONE COB LED max800lm 2700k



A A+ A++



NON DIMMABLE

WH	24°	10W	FO99301A CL8_24 WW
BLK	24°	10W	FO99302A CL8_24 WW

1-10V/PUSH DIMMABLE

WH	24°	10W	FO99301B CL8_24 WW
BLK	24°	10W	FO99302B CL8_24 WW

HONEYCOMB D50	BS0298
SQUARE OPTIC LENS	BS0383
LINEAR SPREAD LENS	BS0384

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW
COLD WHITE	4000K	CW
DIM TO WARM	2200K-3000K	DW

REPLACE WW BY


! 15° or 38° or 60° beam angle on request > ref=..._15 or ..._38
or...._60
! DALI dimmable on request



1x CONE COB LED max700lm 2700k



A A+ A++



NON DIMMABLE

WH	30°	7W	BB89301A CL7_30 WW
BLK	30°	7W	BB89302A CL7_30 WW

IGBT/TRIAC/1-10V DIMMABLE

WH	30°	7W	BB89301F CL7_30 WW
BLK	30°	7W	BB89302F CL7_30 WW

1-10V/PUSH DIMMABLE

WH	30°	7W	BB89301B CL7_30 WW
BLK	30°	7W	BB89302B CL7_30 WW

DALI DIMMABLE

WH	30°	7W	BB89301D CL7_30 WW
BLK	30°	7W	BB89302D CL7_30 WW

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW

REPLACE WW BY





Utrecht University Restaurant
Puur Interieur Architecten
Photography by Liesbet Goetschalckx


Small steamer suspension

ceiling / suspension

1x COB LED max1500lm 3000k



A A⁺ A⁺⁺



NON DIMMABLE

WH	30°	12W	BB99301A CL12_30 NW
BLK	30°	12W	BB99302A CL12_30 NW

IGBT/TRIAC DIMMABLE

WH	30°	12W	BB99301C CL12_30 NW
BLK	30°	12W	BB99302C CL12_30 NW

HONEYCOMB D70 BS0297

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K
NEUTRAL WHITE	3000K
MEDIUM WHITE	3500K
COLD WHITE	4000K
DIM TO WARM	2200K-3000K

REPLACE NW BY

WW
NW
MW
CW
DW

CRI 90+	SDCM < 3	SO 1080lm
T	DLI	III
0.5m	11 kg	passive
LM80 50000	5 YEAR WARRANTY	

! 15° beam angle on request > ref=...15
! 10° narrow spot optical lens on request






BB9302



Small steamer suspension

ceiling / suspension

1x QR70 ≤ 50W




WH
BLK

BB9311 |
BB9312 |



1x MR16 ≤ 50W




WH
BLK

BB9301 |
BB9302 |

! Can be combined with cone accessory



1x GU10 ≤ 50W / LED GU10 (max height 55mm)



WH
BLK

BB9321 |
BB9322 |

! Can be combined with cone accessory





BB99831D CL20_24NW

Steamer suspension


ceiling / suspension



1x QR111 OPTILED max800lm 2800k



A A+ A++



IGBT/TRIAC DIMMABLE

WH	[24°]	12W	BB9801C OL8_20 WW
BLK	[20°]	12W	BB9802C OL8_20 WW

1-10V/PUSH/DALI DIMMABLE

WH	[20°]	12W	BB9801B OL8_20 WW
BLK	[20°]	12W	BB9802B OL8_20 WW


! 45° beam angle on request > ref=..._45



1x COB LED max3500lm 3000k



A A+ A++



NON DIMMABLE

WH	[24°]	30W	BB99831A CL30_24 NW
BLK	[24°]	30W	BB99832A CL30_24 NW

DALI DIMMABLE

WH	[24°]	30W	BB99831D CL30_24 NW
BLK	[24°]	30W	BB99832D CL30_24 NW

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW
MEDIUM WHITE	3500K	MW
COLD WHITE	4000K	CW
DIM TO WARM	2200K-3000K	DW

REPLACE NW BY


! 17° and 36° beam angles on request > ref= ..._17 or ..._36
! CRI 80+ available on request > change ref BB9... to BB8...
! COB specials on request (CrispWhite, food, ...)



1x CONE COB LED max2400lm 3000k



A A+ A++



NON DIMMABLE

WH	[24°]	18W	BB99831A CL20_24 NW
BLK	[24°]	18W	BB99832A CL20_24 NW

DALI DIMMABLE

WH	[24°]	18W	BB99831D CL20_24 NW
BLK	[24°]	18W	BB99832D CL20_24 NW

HONEYCOMB D76 BS0296

ALTERNATIVE LIGHT COLOUR

WARM WHITE	2700K	WW
NEUTRAL WHITE	3000K	NW
MEDIUM WHITE	3500K	MW
COLD WHITE	4000K	CW
DIM TO WARM	2200K-3000K	DW

REPLACE NW BY


! 40° beam angle on request > ref= ..._40
! CRI 80+ available on request > change ref BB9... to BB8...
! COB specials on request (CrispWhite, food, ...)



1x QR111 ≤ 100W



C A A+ A++



WH
BLK

BB9801
BB9802

! Can be combined with cone accessory





Loft & Lys ApS

... løsninger med højt til loftet



Down 2 earth capital office
Antwerpen
Photography: Liesbet Goetschalckx



Loft & Lys ApS

Værkstedsgården 9 ♦ DK-2620 Albertslund ♦ Denmark ♦ +45 6080 2973 ♦ www.loftlys.dk ♦ email: info@loftlys.dk