

Screen

EN Screen is a hanging office divider. It can be easily hung in various places throughout your workspace, making it a flexible solution to adapt to changing office layouts. Make Screen Glow uniquely yours! Screen Glow can be personalized with various designs or motivational notes using a plotter machine, adding a touch of inspiration and creativity to your workspace.


DE Screen ist ein hängender Raumtrenner. Er kann leicht an verschiedenen Stellen in Ihrem Arbeitsbereich aufgehängt werden und ist somit eine flexible Lösung, die sich an wechselnde Büroaufteilungen anpassen lässt. Kreieren Sie selbst ein Einzigartiges Produkt! Screen Glow kann mit Hilfe eines Plotters mit verschiedenen Motiven oder motivierenden Sprüchen personalisiert werden, um Ihrem Arbeitsplatz einen Hauch von Inspiration und Kreativität zu verleihen.

Quickinfo

	Screen
size	900x2065x12
fabric color	ARCHI felt ecoPET color palette ◆ archixxx archixxx – choose color from page 266

Screen Glow – see page 108

Example




Create my unique code!

9101 - 00 - x - ◆







01




02




03




04




05




06




07




08




09




10




11




12




13




14




15




16




17




18




19




20




21



99



Your Custom Project






Acoustic Lighting

ecoPET

ARCHI felt ecoPET 12 mm

EN The high-quality PET sound panels are robust, durable, and have a slightly textile surface that can be washed. They have excellent sound-absorbing properties, are flame-resistant and recyclable.

DE Hochwertige PET-Akustikplatten sind massiv, strapazierfähig, mit einer leicht textilen Oberfläche, die gewaschen werden kann. Sie haben hervorragende Schalldämmeigenschaften, sind schwer entflammbar und können recycelt werden.



ARCHI felt ecoPET properties

Measurements

2800 mm × 1200 mm × 12 mm

gross size

Flammability Class

B-s1,d0

Acoustic values

Mounting method	Directly on the wall	50 mm cavity	50 mm cavity + 50 mm rockwool	100 mm cavity	100 mm cavity + 100 mm rockwool
NRC (100–5000 Hz)	0.40	0.75	0.95	0.80	1.00
aw (100–5000 Hz)	0.25	0.60	1.00	0.80	0.95
Acoustic Class	D	C	A	B	A

