



6th Element



Loft & Lys Aps
Værkstedsgården 9
2620 Albertslund
6080 2973
www.loftlys.dk
info@loftlys.dk

INDELAGUE GROUP


INDELAGUE ROXO lighting

CONCEPT AND INSPIRATION


SHOOTING STAR






CARBON



DIAMOND


























6TH
ELEMENT
RANGE




GERMAN
DESIGN
AWARD
SPECIAL
2017



OVERVIEW

6 TH ELEMENT RANGE				
				
	6 TH ELEMENT FIX	6 TH ELEMENT	6 TH ELEMENT / C	6 TH ELEMENT / W
Type of Application				
Light Distribution		 50%  50%		 50%  50%
Dimensions	140x140x87 mm	140x140x80 mm	140x140x60 mm	140x160x80 mm
Optical System	50° Lens  80° Lens  DOZ  DPT 			
Colour Temperature	3000K 4000K			
Finishes	○ White ● Gray ● Black ● Rusty chain			
Ceiling Roses	--			
Safety Cable	✓	--		
CRI	CRI>80 CRI>90			

MINIMALISM AND TECHNOLOGY



1 4 0 m m

Shown in real size



BODY
POWDER COATED
DIE-CAST ALUMINIUM



LED



DOZ
OPAL DIFFUSER



DPT
TRANSPARENT DIFFUSER



80° LENS



50° LENS



FIXING
SYSTEM
EASY FIXING
THROUGH MAGNETS



BLANKING
COVER

6TH ELEMENT
RANGE

6TH ELEMENT FIX
Surface mounted



6TH ELEMENT /W
Wall mounted
Adjustable



6TH ELEMENT RANGE



6TH ELEMENT FIX



6TH ELEMENT



6TH ELEMENT /C



6TH ELEMENT /W




6TH ELEMENT
Suspended



6TH ELEMENT /C
Surface mounted
Adjustable

— AVAILABLE
SIZE —



Ø 140 mm

CREATE SPACES
THROUGH LIGHT










FINISHES


WHITE




GRAY



BLACK




RUSTY CHAIN







OPTICAL SYSTEM




DOZ




80° LENS






D P T





50 ° L E N S







SURFACE MOUNTED
ADJUSTABLE







WALL MOUNTED
ADJUSTABLE











INDELAGUE GROUP

HEADQUARTERS

INDÚSTRIA ELÉTRICA DE ÁGUEDA S.A.
Rua da Mina 465 | Covão
Zona industrial EN1 Norte
Apartado 106 / 3754-909
3750-792 Trofa
ÁGUEDA | PORTUGAL
GPS: 40° 36' 00.54" N | 8° 27' 11.76" W
T. +351 234 612 310 | F. +351 234 624 058
indelague@indelague.pt
WWW.INDELAGUE.COM

UNITED KINGDOM

ROXO LIGHTING LIMITED
roxo.london@roxolighting.com
WWW.ROXOLIGHTING.COM

SPAIN

INDELAGUE ESPAÑA, S.L.
Avenida del Ejército, nº 8 - 1º C
C.P. 15006 | A CORUÑA | ESPAÑA
comercial@indelague.com
WWW.INDELAGUE.COM

All data contained in this brochure does not constitute any commitment to INDELAGUE - Indústria Eléctrica de Águeda, S.A. . The company itself, reserves the right to change or modify any information stated without prior notice. The reproduction of this brochure or any part of it is prohibited. Electric/Optical data are subject to an initial tolerance of +/- 10%. Tolerance of colour temperature: +/- 150 K. Unless stated otherwise, the technical data represent rated values for an ambient temperature of 25°C.

Cofinanciado por:



UNIÃO EUROPEIA
Fundo Europeu
de Desenvolvimento Regional