

TTP 70 COLOUR

RANGE

E110

U Lm/W



Loft & Lys Aps
Værkstedsgården 9
2620 Albertslund
6080 2973
www.loftlys.dk
info@loftlys.dk

INDELAGUE GROUP

INDELAGUE™


HIGH TECH | LIGHTING SOLUTIONS

ROXO lighting

CONCEPT


2 TTP 70 Colour range

LIGHTING IN
HARMONY WITH
YOUR SPACE



Our tubular luminaire TTP 70 Colour is the ideal solution when it comes to decorate in a unique manner, modern buildings and contemporary spaces. This luminaire offers high performance together with the optional end caps, available in 8 colours.

TTP 70 Colour LED with dimmable versions is a sustainable lighting solution, allowing energy savings and the reductions of your carbon footprint.



SIZES / MOUNTING TYPES

4 TTP 70 Colour range

CHOOSE THE
RIGHT COLOUR



TTP 70 Colour is available with transparent or opal diffuser, combining simplicity, elegance and high efficiency. These range of luminaires can be surface, suspended or wall mounted, with a wide range of accessories and options available.

The TTP 70 Colour range will add colour into your projects, allowing new design surroundings for different application areas, such as, stores, schools, offices, corridors, reception areas, lounge areas, meeting rooms, etc.



OPTICAL RANGE

6 TTP 70 Colour range

AESTHETICS AND OPTICAL ARRANGEMENTS


TTP 70 Colour LED is available in three lengths, 628mm, 1188mm and 1468mm, only with opal diffuser (TOP).

On the fluorescent version TTP 70 Colour, there is also three lengths available, 640mm, 1240mm and 1540mm, featuring two diffusers available, either transparent (TUP) or opal (TOP). This combinations allow quite a few creative possibilities.

TUP

TRANSPARENT POLYCARBONATE DIFFUSER



Choose transparent polycarbonate diffuser TUP for modern style and an exceptional performance.



TOP

OPAL POLYCARBONATE DIFFUSER

Choose opal polycarbonate diffuser TOP for an elegant and contemporary look.



TTP 70 Colour

TUP (T5)



Shown in real size

TTP 70 Colour LED TTP 70 Colour

TOP (LED / T5)



Shown in real size

FEATURES / COMPONENTS

8

TTP 70 Colour range

WIDE RANGE OF OPTIONS

LED VERSION

The use of the latest LED technology on TTP 70 Colour LED allow us to have high LED standards, such as CRI >80, 50.000h life (L80F10) and a colour stability MacAdam 3 SDCM colour quality. TTP 70 Colour LED uses an opal diffuser (TOP) and 4000K as standard or 3000K as optional. TTP 70 Colour LED is the perfect solution for dimmable control systems applications.

DSI/DALI CONTROL SYSTEM

Allows simple interface with building management systems, increasing the energy efficiency.

TTP 70 Colour LED

110
Lm/W





T5 VERSION

Luminaire available in T5 fluorescent version with transparent polycarbonate diffuser (TUP) or opal polycarbonate diffuser (TOP).

END CAP

Injection-molded transparent polycarbonate with optional 8 colours and IP44 version.

CABLE GLAND

Plastic cable gland M16x1.5 as standard and metal cable gland M16x1.5 for DSI and DALI versions. 1,5m cable H07RN-F included.

EMERGENCY UNIT

1 hour emergency unit available as optional.


FIXING HOLDERS / SUSPENSIONS / END CAPS / CABLE GLANDS

10

TTP 70 Colour range

ADD COLOUR TO YOUR PROJECTS

TTP 70 Colour range is available with 8 different colours for the end caps and an optional IP44 for high demanding projects. Stainless steel or acrylic fixing holder are also available for surface or suspended installations.





PLASTIC CABLE
GLAND AS
STANDARD

PINK
POLYCARBONATE
END CAPS

BLACK
POLYCARBONATE
END CAPS

TRANSPARENT
POLYCARBONATE
END CAPS AS
STANDARD

  
BASIC STAINLESS
STEEL FIXING
HOLDER

 
ACRYLIC
FIXING HOLDER



MAINTENANCE


12


TTP 70 Colour range


LOW MAINTENANCE

*TTP 70 range is very easy to maintain.
The screwless end caps can be removed
without requiring tools, just a simple pull. To
change lamps on T5 versions, just remove
the end cap and you have access to the
interior of the luminaire.*











INDELAGUE GROUP

HEADQUARTERS

INDÚSTRIA ELÉTRICA DE ÁGUEDA S.A.
Rua da Mina 465 | Covão
Zona industrial EN1 Norte
Apartado 106 / 3754-909
3750-792 Trofa
ÁGUEDA | PORTUGAL
GPS. 40° 36' 00.54" N | 8° 27' 11.76" W
T. +351 234 612 310 | F. +351 234 624 058
WWW.INDELAGUE.COM

UNITED KINGDOM

ROXO LIGHTING LIMITED
roxo.london@roxolighting.com
WWW.ROXOLIGHTING.COM

SPAIN

INDELAGUE ESPAÑA, S.L.
Avenida del Ejército, nº 8 - 1º C
C.P. 15006 | A CORUÑA | ESPAÑA
comercial@indelague.com
WWW.INDELAGUE.COM

All data contained in this brochure does not constitute any compromise to INDELAGUE Group. The company itself, reserves the right to change or modify any technical information stated without prior notice. The reproduction of this brochure or any part of it is prohibited. Electrical/Optical data are subjected to a tolerance of +/-10%.

