


Vega

















Loft & Lys ApS
Værkstedsgården 9
2620 Albertslund
6080 2973
www.loftlys.dk
info@loftlys.dk










VEGA RANGE					
					
	VEGA Sq / E	VEGA / E	VEGA Sq	VEGA	VEGA IP
Type of Application					
Light Distribution					
Dimensions	∅100x110 mm	∅100x110 mm	∅100x200 mm	∅95x200 mm	∅95x206 mm
Optical System	LIGHT+  PRISM+ 				LIGHT+ 
Colour Temperature	3000K 4000K				
Finishes	○ White ● Grey ● Black				
Ceiling Roses	--	--			--
Safety Cable	✓	✓	✓	--	--
CRI	CRI>90				
IP Protection	IP20/54		IP20		IP54






OPTICAL SYSTEM








AVAILABLE
DIFFUSERS




LIGHT+



PRISM+



Shown in real size





FINISHES




WHITE



GREY



BLACK







VEGA
RANGE


VEGA Sq / E
Recessed



VEGA / E
Recessed




VEGA Sq
Surface mounted / Suspended



Ø100 mm



Ø100 mm



Ø100 mm





VEGA
Surface mounted / Suspended

VEGA IP
Surface mounted









VEGA Sq / E




Shown in real size





VEGA / E

HIGHLY
EFFICIENT
PASSIVE
COOLING
SYSTEM
MADE OF
ALUMINIUM



LED
CRI > 90
3000K
OR 4000K

PRISM+
OR LIGHT+
DIFFUSER



INJECTED
REFLECTOR

Shown in real size









VEGA Sq



AVAILABLE
CEILING ROSES



Recessed



Surface mounted





VEGA



AVAILABLE
CEILING ROSES



Recessed



Surface mounted









VEGA IP

